




BIDS AND AWARDS COMMITTEE
BID BULLETIN
November 16, 2020

This Bid Bulletin is being issued to further clarify, modify, and amend the issues and questions raised during the Pre-Bidding Conference held on November 10, 2020; 10:00 am at the SLRGH- Chief Nurse Office, O. Reyes St., Santulan Malabon City. This Bid Bulletin will form an integral part of the bidding document;

	PARTICULARS	CLARIFICATION
	GENERAL INSTRUCTIONS TO BIDDERS	<p>1. OFFICIAL TIME IS BUNDY CLOCK TIME. Bundy clock is located at the guard house, near the entrance gate.</p> <p>2. FORM OF BID SECURITY (GPPB CIRCULAR 01-2014)</p> <p>- CASH OR CASHIER’S/MANAGER’S CHECK issued by a Universal or Commercial bank (<i>Bid security in the form of cash and manager’s check should be paid at the SLRGH’s cashier</i>).</p> <p>Only photocopy of Official Receipt must be placed inside the bidding envelope. No payment of bidder’s bond will be accepted during the Public Bidding. And no cash shall be allowed inside the bidding envelope.)</p> <p>- BID SECURING DECLARATION</p> <p>- SURETY BOND</p> <p>3. Please present the original copy to the BAC Secretariat for verification. (Payment for CTC of documents is P 200.00 and should be paid at the SLRGH’s cashier);</p> <p>- Mayor’s Permit</p> <p>- DTI / SEC Certificate</p> <p>- Audited Financial Statement</p> <p>- Tax Clearance</p> <p>- PHILGEPS Certificate</p> <p>4. Place your bidding documents in an assigned envelope, properly labeled, with table of contents, properly arranged with tabbing (marker) and fasten it properly. (Unarranged and unfastened bidding documents will not be read and will be disqualified to join this public bidding)</p> <p>5. BIDDING QUOTATION MUST BE IN WORDS AND IN FIGURES. Noncompliance with this instruction will be disqualified in the Public Bidding.</p> <p>6. The BAC will not accept late submission of bidding documents after the allowed time of submission.</p> <p>7. Suppliers who opted to avail of our bidding documents but did not attend our Pre-Bidding Conference is not exempted in the terms and conditions stipulated in the bulletin.</p> <p>8. Cell phones should be in silent mode during the entire bidding process.</p> <p>9. Bidder must submit the following requirements on or before the opening of Bids.</p> <p>– Letter of Intent (LOI)</p> <p>– Notarized Secretary Certificate (Person not included in the letter of Authority will not be entertained)</p> <p>10. Documents to be notarized</p> <p>- Statement of ongoing and finished projects</p> <p>- Notarized Omnibus Sworn Statement</p> <p>11. One (1) Original copy and two (2) duplicate copies of bidding documents will be submitted.</p> <p>A total of three (3) envelopes will be submitted during The Public Bidding</p> <p>NO COLOR CODING <u>Total no. of Folder: SIX (6)</u> (Properly labeled, with table of contents, properly arranged with tabbing)</p> 



	CHECKLIST OF REQUIREMENTS	CHECKLIST OF REQUIREMENTS <u>Eligibility and Technical Documents :arranged and tabbed:</u> (a) ELIGIBILITY DOCUMENTS <u>CLASS “A” DOCUMENTS:</u> I.*PhilGEPS Certificate II._Registration Certificate from SEC, Department of Trade and Industry (DTI) for sole proprietorship, or CDA cooperatives III. Mayor’s Permit/business Permit issued by the city or municipality where the principal place of business of the prospective bidder is located or the equivalent document for Exclusive 34.2of this IRR. IV. Valid Tax Clearance per Executive Order 398, series of 2005, as finally reviewed and approved by the BIR. GPPB Circular 07-2017 dated 31 July 2017) V.*Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. VI.*Statement of the Bidder’s Single largest Completed Contract (SLCC) similar to the contract to be bid (Refer to ITB Clause 5.4 within two (2) years from date of Bid opening); a. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least [State “fifty percent (50%)” in the case of Non-expendable Supplies and Services or “twenty-five percent (25%)” in the case of Expendable Supplies] of the ABC for this Project; and b. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above. VII. Audited Financial Statements, showing among others, the prospective bidders total current assets and liabilities, stamped” received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of submission. VIII. Net Financial Contracting Capacity (NFCC) that must be at least equal to the ABC to be bid or a committed Line of Credit from a Universal or Commercial bank, in lieu of its NFCC computation, it must be at least equal to 10% of the ABC. The bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows: NFCC = [(Current asset minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid. The values of the domestic bidder’s current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR. <u>CLASS “B” DOCUMENTS:</u> IX. For Goods, valid joint venture agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners should be included in the bid, stating that they will enter into and abide by the provisions of the JVA in the event that the



	<div><p><u>TECHNICAL DOCUMENTS:</u></p></div> <div><p><u>FINANCIAL COMPONENTS:</u></p></div> <div><p><u>POST QUALIFICATION REQUIREMETNS:</u></p></div>	<p>bid is successful. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security.</p> <p>Each partner of the joint venture shall submit their eligibility documents or Certificate of PhilGEPS Registration (Platinum Membership). The submission of technical and financial eligibility documents by any of the joint venture partners shall constitute compliance; provided, That the partner responsible of all its ongoing contracts and Audited Financial statements.</p> <p><u>TECHNICAL DOCUMENTS:</u></p> <p>X. Bid Security in the form of</p> <p>o Cash /Managers Check (Official Receipt of SLRGH) o Notarized Bid Securing Declaration (BSD) o Surety bond</p> <p>XI. Duly accomplished and signed</p> <p>o Production / Delivery Schedule using the form for in Section VI. o Technical Specification using the form as provided for in Section VII.</p> <p>XII. Notarized Omnibus Sworn Statement in accordance with Section 25.3 , 2016 of RA 9184 (Use of the Form provided is required)</p> <p><u>FINANCIAL COMPONENTS: arranged and tabbed</u></p> <p>I. Duly accomplished and signed Bid Form (use of form in BDS is required, note: Bid price must be in words and in figures per line item)</p> <p>II. Duly accomplished and signed Price schedule (use of form in BDS is required, note: Bid price must be in words and in figures per line item)</p> <p><u>POST QUALIFICATION REQUIREMENTS</u></p> <p>The Lowest Calculated Bidder shall submit three (3) sets (properly tabbed with table of contents) of the following documentary requirements within a non-extendible period of five (5) calendar days from receipt of the notification that contain the following</p> <p>1. LATEST INCOME AND BUSINESS TAX RETURNS filed and paid through the BIR Electronic Filing (EEPS). Certificate of Registration issued by the BIR (2303)</p> <p>2. MANUFACTURER’S CERTIFICATION or if the bidder is not a manufacturer, authenticated copy of certification from the manufacturer as authorized or exclusive distributor or dealer of the products/items.</p> <p>3. With MANUFACTURER AND/ OR PRODUCTS CERTIFICATIONS by an independent 3rd party Certifying Body (ISO)</p> <p>4. LICENSE TO OPERATE as Medical Device Distributor/Importer/Wholesaler</p> <p>5. Product Samples/brochures (if needed)</p> <p>6. Valid and current Certificate of Product Registration (CPR) issued by Food and Drug Administration (FDA)(for Medical Supplies, drugs and Meds and Intravenous Fluids only)</p> <p>7.*Valid and Current License to operate (LTO) issued by Food and Drug Administration (FDA))</p> <p>8. CERTIFICATE OF PERFORMANCE in letterhead of their clients indicating the contact numbers and email addressed signed by the authorized head of the Department from three clients (3) of the bidder issued within the last six (6) months prior to bid opening.</p> <p>Note: Certification issued by SLRGH -Procurement Unit must be included if bidder had done business with us. Certification of which should be of same category (e.g., equipment/supplies) of project being bided</p> <p>9. Certification for Assurance of Stocks Availability signed by the President /CEO of the company</p> <p>10. Bank Certificate (for payment purposes only)</p> <p>Deadline of submission of Post Qualification Requirements : <u>five (5) calendar days</u> from receipt of the notification</p> <p>Failure to duly submit the requirements stated above or any finding against the veracity of such shall be a ground for the forfeiture of the bid security and disqualification for the award.</p>
--	---	--



SLRGH IB 2020-020A	PROCUREMENT OF INTERNET CONNECTION SERVICE - REBID	No changes in Technical Specifications Bidding Document is amounting to Php 2,000.00 Opening of Bids: November 23, 2020; 10:00 AM
SLRGH IB 2020-021	PROCUREMENT OF VARIOUS DRUGS AND MEDICINES	Accepted: Renewed CPR (Certificate of Product Registration) <input checked="" type="checkbox"/> Not Accepted: Expired CPR, Document tracking log, FDA official Receipt, Near Expiry date of CPR <input checked="" type="checkbox"/> Shelf Life: Drug must be fresh commercial stocks with a total shelf life of 24 months from the date of manufacturer but not less than 18 months from the date of delivery. <input checked="" type="checkbox"/> On delivery; during delivery if the item is for refrigerate need the proper storage and temperature if the item is not cold or not in proper temperature the item will return. <input checked="" type="checkbox"/> Bidding Document is amounting to Php 3,000.00 Opening of Bids: November 23, 2020; 10:00 AM
SLRGH IB 2020-022	PROCUREMENT OF VARIOUS INTRAVENOUS FLUIDS	Accepted: Renewed CPR (Certificate of Product Registration) <input checked="" type="checkbox"/> Not Accepted: Expired CPR, Document tracking log, FDA official Receipt, Near Expiry date of CPR <input checked="" type="checkbox"/> Shelf Life: Drug must be fresh commercial stocks with a total shelf life of 24 months from the date of manufacturer but not less than 18 months from the date of delivery. <input checked="" type="checkbox"/> On delivery; during delivery if the item is for refrigerate need the proper storage and temperature if the item is not cold or not in proper temperature the item will return. <input checked="" type="checkbox"/> Bidding Document is amounting to Php 500.00 Opening of Bids: November 23, 2020; 10:00 AM
SLRGH IB 2020-023	PROCUREMENT OF VARIOUS AIR-CONDITIONING UNIT	<ul style="list-style-type: none">· All work activities for the installation of ACUs shall conform to the National Building Code, Philippine electrical Code, and other applicable installation standards.· All pipes must be installed with hangers and support.· Liquid Tight Flexible Conduit must be used for outside electrical wiring from the A/C Unit to the ECB.· Indoor and Outdoor exposed pipes (electrical, copper, drain) must be covered by cladding or equivalent.· All affected areas must be restored after installation• Typographical error of posted ABC in PHILGEPS Website and SLRGH Website : APPROVED BUDGET FOR THE CONTRACT (ABC) From Php 920,000.00 to 1,240,000.00 Lot Bidding Quantity: <ul style="list-style-type: none">➤ 1 Unit – 1 HP Window Type Air-Conditioning Unit➤ 1 Unit – 1.5 HP Split Type Air-Conditioning Unit with Installation➤ 2 Units – 2 HP Window Type Air-Conditioning Unit➤ 7 Units – 2.5 HP Window Type Air-Conditioning Unit



		<div><div><div>➤ 3 Units – 2.5 HP Split type Air-Conditioning Unit with Installation</div><div>➤ 2 Units – 2.5 HP Split type Air-Conditioning Unit with Installation</div><div>➤ 2 Units – 4 HP Ceiling-mounted Air-Conditioning Unit with Installation</div><div>➤ 1 Unit – 6 HP Ceiling-mounted Air-Conditioning Unit with Installation</div><div>➤ 1 Unit – 6 HP Ceiling-mounted Air-Conditioning Unit with Installation</div></div><div><div>Specifications:</div><div>1 HP Window Type Air-conditioning Unit (Non-inverter)</div><div><div>Rating</div><div>:</div><div>230 V, 60 Hz, 1 Phase</div></div><div><div>Cooling Capacity</div><div>:</div><div>9,300 kJ/hr (or above)</div></div><div><div>Power Consumption</div><div>:</div><div>930 Watts (or below)</div></div><div><div>Energy Efficiency Ratio</div><div>:</div><div>10 kJ/W-hr (or above)</div></div><div><div>Refrigerant</div><div>:</div><div>R410A or R32</div></div><div><div>Features</div><div>:</div><div><div>With Filter System that neutralizes free radicals,</div><div>removes odor, molds and fungi from the air</div><div>- Turbo Function</div><div>- 2 Fan Level</div><div>- 12-hour on and off timer</div><div>- Energy Saving Feature</div></div></div><div><div>Warranty</div><div>:</div><div><div>1 year on parts</div><div>5 years on compressor</div><div>1 Free General Cleaning</div></div></div><div><div>2 HP Window Type Air-conditioning Unit (Non-inverter)</div><div><div>Rating</div><div>:</div><div>230 V, 60 Hz, 1 Phase</div></div><div><div>Cooling Capacity</div><div>:</div><div>19,000 kJ/hr (or above)</div></div><div><div>Power Consumption</div><div>:</div><div>1,880 Watts (or below)</div></div><div><div>Energy Efficiency Ratio</div><div>:</div><div>9.8 kJ/W-hr (or above)</div></div><div><div>Refrigerant</div><div>:</div><div>R410A or R32</div></div><div><div>Features</div><div>:</div><div><div>With Filter System that neutralizes free radicals,</div><div>removes odor, molds and fungi from the air</div><div>- Turbo Function</div><div>- 3 Fan Level</div><div>- 24-hour on and off timer</div><div>- Energy Saving Feature</div></div></div><div><div>Warranty</div><div>:</div><div><div>1 year on parts</div><div>5 years on compressor</div><div>1 Free General Cleaning</div></div></div><div><div>2.5 HP Window Type Air-conditioning Unit (Non-inverter)</div><div><div>Rating</div><div>:</div><div>230 V, 60 Hz, 1 Phase</div></div><div><div>Cooling Capacity</div><div>:</div><div>22,000 kJ/hr (or above)</div></div><div><div>Power Consumption</div><div>:</div><div>2,250 Watts (or below)</div></div><div><div>Energy Efficiency Ratio</div><div>:</div><div>9.8 kJ/W-hr (or above)</div></div><div><div>Refrigerant</div><div>:</div><div>R410A or R32</div></div><div><div>Features</div><div>:</div><div><div>With Filter System that neutralizes free radicals,</div><div>removes odor, molds and fungi from the air</div><div>- Turbo Function</div><div>- 3 Fan Level</div><div>- 24-hour on and off timer</div><div>- Energy Saving Feature</div></div></div><div><div>Warranty</div><div>:</div><div><div>1 year on parts</div><div>5 years on compressor</div><div>1 Free General Cleaning</div></div></div><div><div>1.5 HP Split Type Air-conditioning Unit (Non-Inverter)</div><div><div>Power Supply</div><div>:</div><div>1 Phase, 230 V, 60 Hz</div></div><div><div>Cooling Capacity</div><div>:</div><div>13,000 kJ/hr (or above)</div></div><div><div>Power Input</div><div>:</div><div>1,150 Watts (or below)</div></div></div></div></div></div></div>
--	--	--



Republic of the Philippines
Department of Health – MMCHD
SAN LORENZO RUIZ GENERAL HOSPITAL

(formerly San Lorenzo Ruiz Women’s Hospital)
25 O. Reyes St., Santolan, Malabon City

Tel. No. (02) 8294-4853 / 8294-4854 • Website: www.slrwh.doh.gov.ph
PhilHealth Accredited Facility



		<div>Energy Efficiency Ratio : 11.3 kJ/W-hr (or above)</div> <div>Refrigerant : R410A or R32</div> <div>Features :<ul style="list-style-type: none">- Cleans & Deodorizes the air<ul style="list-style-type: none">- Leak Detection Feature- Anti-Corrosion Coating- 4 Fan Speed- Louver Memory Position- Auto-restart in case of power outage</div> <div>Warranty :<ul style="list-style-type: none">1 year on parts5 years on compressor1 Free General Cleaning</div> <div>2.5 HP Split Type Air-conditioning Unit (Non-Inverter)</div> <div>Power Supply : 1 Phase, 230 V, 60 Hz</div> <div>Cooling Capacity : 24,000 kJ/hr (or above)</div> <div>Power Input : 2,180 Watts (or below)</div> <div>Energy Efficiency Ratio : 11 kJ/W-hr (or above)</div> <div>Refrigerant : R410A or R32</div> <div>Features :<ul style="list-style-type: none">- Cleans & Deodorizes the air<ul style="list-style-type: none">- Leak Detection Feature- Anti-Corrosion Coating- 4 Fan Speed- Louver Memory Position- Auto-restart in case of power outage</div> <div>Warranty :<ul style="list-style-type: none">1 year on parts5 years on compressor1 Free General Cleaning</div> <div>4 HP Ceiling-mounted Air-conditioning Unit (Non-Inverter)</div> <div>Power Supply : 1 Phase, 230 V, 60 Hz</div> <div>Cooling Capacity : 36,100 kJ/hr (or above)</div> <div>Power Input : 3,900 Watts (or below)</div> <div>Energy Efficiency Ratio : 9.3 kJ/W-hr (or above)</div> <div>Refrigerant : R410A or R32</div> <div>Features :<ul style="list-style-type: none">- Easy Access Air Filter<ul style="list-style-type: none">- Up to 30m Refrigerant Pipe- 3 Fan speed</div> <div>Warranty :<ul style="list-style-type: none">1 year on parts5 years on compressor1 Free General Cleaning</div> <div>6 HP Ceiling-mounted Air-conditioning Unit (Non-Inverter)</div> <div>Power Supply : 1 Phase, 230 V, 60 Hz</div> <div>Cooling Capacity : 54,000 kJ/hr (or above)</div> <div>Power Input : 5,600 Watts (or below)</div> <div>Energy Efficiency Ratio : 9.6 kJ/W-hr (or above)</div> <div>Refrigerant : R410A or R32</div> <div>Features :<ul style="list-style-type: none">- Easy Access Air Filter<ul style="list-style-type: none">- Up to 50m Refrigerant Pipe- 3 Fan speed</div> <div>Warranty :<ul style="list-style-type: none">1 year on parts5 years on compressor1 Free General Cleaning</div> <div>Bidding Document is amounting to Php 1000.00</div> <div>Opening of Bids: November 23, 2020; 10:00 AM</div>
--	--	---

All other provisions of the bidding documents which are not affected shall remain in effect.
For Guidance and information of all concern.


NOEL D. VALDERRAMA, MD
Chairperson, BAC